

## **Starting Research in Interaction Design with Visuals for Low Functioning PAS Children.**

Narcís Parés, Anna Carreras, Jaume Durany, Jaume Ferrer, Pere Freixa, David Gómez, Orit Kruglanski, Roc Parés, J. Ignasi Ribas, Miquel Soler, Àlex Sanjurjo.

Experimentation on Interactive Communication group (<http://www.iaa.upf.es/eic>)

Audiovisual Institute, Universitat Pompeu Fabra, Barcelona - Spain

Telephone: +34 93 542 2631, Fax: +34 93 542 2202

E-mail: npares@iaa.upf.edu

### **Abstract**

On starting to think about interaction design for low functioning Persons in the Autistic Spectrum (PAS), especially children, one finds a number of questions that are difficult to answer: Can we typify the PAS user? Can we engage the user in interactive communication without generating frustrating or obsessive situations? What sort of visual stimuli can we provide? Will they prefer representational or abstract visual stimuli? Will they understand 3D graphics representation? What sort of interfaces will they accept? Can we set ambitious goals such as education or therapy? Unfortunately, most of these questions have no answer yet. Hence, we decided to set an apparently simple goal: to design a “fun application”, with no intention to reach, yet, education or therapy. This goal was to be attained by giving the users a sense of agency, by providing first a sense of control in the interaction dialogue. Our approach to visual stimuli design has been based on the use of geometric, abstract, 2D, real-time computer graphics in a full-body, non-invasive, interactive space. The results obtained within the European funded project **MEDIATE** have been extremely encouraging.

### **1. Introduction**

**MEDIATE** (A Multisensory Environment Design for an Interface between Autistic and Typical Expressiveness) is an interactive environment that generates real time stimuli (visual, aural and vibrotactile) such that low functioning children with autism, who have no verbal communication, can hopefully express themselves and “have a bit of fun”. This goal, in spite of its apparent

simplicity, is actually quite demanding and ambitious, both in psychological and in technological terms. This is why it must be stressed that this environment does not claim to be therapeutic or educational. In spite of previous attempts by other research projects to work in this direction<sup>1,2,3,4,5</sup>, psychologists in the consortium believe that our understanding of autism does not yet permit to aim for such ambitious goals, especially in low functioning PAS (persons in the autistic spectrum).

MEDIATE was a project under the FP5 / IST / Systems and Services for the Citizen / Persons with special needs (including the elderly and the disabled) lasting for thirty months. It was coordinated by the University of Portsmouth (UK). The rest of the consortium was formed by: the Hogeschool voor de Kunsten Utrecht (Hilversum, Netherlands); the “Institute of Psychiatry” of Kings College London (UK); Show Connections Limited (UK); Universitat Pompeu Fabra. In this paper we will describe the design approach, functionality and results of the project, from the point of view of the visual interaction design, defined by our team at Universitat Pompeu Fabra.

## **2. Goals of MEDIATE**

As defined by the National Autistic Society<sup>6</sup>, UK, autism is a set of disorders in intercommunication and interrelation abilities whose essential characteristics are the presence of an abnormal development in: Communication, Socialization and Imagination. From this, a main goal and two secondary goals were defined (completely subject to ethical considerations):

- *Main goal:* For the children with autism to have fun and have the chance to play, explore and be creative in a predictable, controllable and safe space.
- *Secondary goals:* (a) For the psychologists to better understand autism and the possible underlying communication mechanisms. (b) For the parents of the children with autism to find new qualities in their sons or daughters by seeing them play in this environment.

## **3. How to reach these goals?**

The consortium defined four strategic concepts with which to achieve the main goal and the two secondary goals. These are defined below:

### *3.1. Control to achieve a sense of Agency*

The disorders mentioned above imply that PAS children rarely experience a sense of control with respect to their surrounding environment. Technically it is said that they have no *sense of agency*; i.e. they have no sense of connection between them and the surrounding world. Therefore, one of the basic concepts behind the design of MEDIATE was to provide the user with clear interaction dialogues that would hopefully give the children a sense of control of the system. If this were achieved, then they would probably gain the sense of agency that makes them feel at ease.

### *3.2. Enhance Non-Repetitive Actions*

Children with autism often fall into repetitive attitudes like rocking movements or flapping an arm or a hand. They tend to do so when they are feeling overwhelmed or when they are obsessed by something. Both attitudes are considered undesirable by psychologists, because they isolate the child from the world. Therefore, the second concept behind the design of MEDIATE was to detect repetitive patterns in any of the sensed attributes of the user and inform the rest of the system in order to try to pull the child out of this state.

### *3.3. Adapt to each Child*

Because of the wide spectrum of PAS children that could use the environment, the consortium thought it would be important to make the system adapt to each child's needs and potential. A "decision maker" module in the "brain" of the system would modulate stimuli and interaction responses, such that if the child were behaving in a novel (i.e. non-repetitive) manner, the environment would raise its complexity in each modality (visuals, sound and vibration/touch) and eventually evolve into cross-modality. If on the other hand, the child behaved in a repetitive

manner, then the environment would dim down all responses making everything drop back to a less demanding or softer interaction mode.

### *3.4. High Functioning Children in Design Team*

To be able to determine whether the design decisions were on the right track, groups of high functioning children with autism, who could give verbal feedback, were incorporated in the design teams, at each participating university, as *informers*. They gave useful comments on the type of stimuli being designed and the type of interactions proposed.

## **4. Why an Environment?**

The environment approach was chosen because the children could very easily adapt to a full body interaction, as opposed to an object-based approach (which could obsess them) or a desktop approach (that presented concentration and control issues). By simply moving through and gesticulating in the defined space, the environment could already start responding, opening small doors that could lead the child into playing with it. To make this possible, the environment was composed of a set of sensors that capture user's actions and a set of software that generates the response stimuli based on what we call *interaction models*. The use of non-invasive sensors was essential such that no sensors or cables should be placed on the user. Hence the sensors were all external: microphones, cameras, transducers and pressure sensors, distributed throughout the environment and analyzed and managed by the computer system in real time.

## **5. What does the MEDiate environment look like?**

MEDIATE was finally designed as a hexagonal space, approximately six meters in diameter. Inside the space several elements act as interaction interfaces (Figures 1 & 2): the floor surface that reacts to footsteps generating sound; the tune fork wall with tube-like structures that generate sound when caressed or stroked; the two rear projection screen walls (300 x 225 cm) that support visual interaction reacting to the child's movement and touch; the impression wall with padded

structures reacts to pressure and emits vibration; the sound interface based on microphones and speakers that reacts to sounds emitted by the child in the space (voice, clapping, etc.).





FIG. 1: Panoramic view of the interior of the environment with the interaction elements. FIG. 2: Plan view of the MEDiate physical environment.

## 6. The User: Cannot be typified!

When designing an interactive application, one of the first basic steps is to analyze and define the type of user to which the application is addressed; i.e. the user must be typified. In our case though, because the spectrum of disorders in autism is so wide, we had the imposed restriction of not being able to typify our user. Hence, we had to establish new strategies for interaction design. This has been our main challenge and interest in our research group and will be the focus of the design of interaction with visual stimuli for MEDiate described below.

## 7. Interaction with Visual Stimuli Design

Not being able to typify the user, we needed a different approach. We based it on a design strategy that our group had formalized in previous projects: the Interaction-driven design (as opposed to a content-driven or user-driven approach)<sup>7</sup>. Thus, we started by identifying the input/output interfaces, then defined interaction models and finally the visual elements to be used. Because the consortium had decided upon a full body interaction, we decided to find basic and general body behaviors that could easily cause a reaction in the system and that would be clear to

the user. These very simple behaviors that any child should be able to do were: move in relation to the screen, gesticulate in front of the screen, touch the screen, etc. This allowed us to start thinking of very simple games to play with images. With these simple interactions, the user would hopefully understand she was in control of the situation. But we still needed to know which type of images to use or which image strategy to follow.

## **8. Theory of Visual Perception: Gestalt Theory**

When we started to design the interaction with visual stimuli, we began to ask ourselves questions such as: will these children be afraid of dark spaces? Will too much light overwhelm them? Do they prefer certain color gamuts? Do they understand images for what they represent? Or rather, do they see only shapes and colors within an image? All these questions were posed from the theory of human perception and understanding of images. However, there is no literature that gives evidence that they prefer any of those options or that they interpret images in any particular way. One thing was very clear, though, the consortium wanted the children to accept the environment because of the sense of control gained through the proposed interaction, ruling out the possibility of accepting the environment based on specific content presented within it. From this reasoning, we decided to work with abstract or non-representational images.

## **9. Particle systems**

In our search for visual design, we found that, due to “weak central coherence”<sup>8</sup> children with autism concentrate on the parts of a complex object rather than on the whole. A side effect of this seems to be that they are very fast at finding a shape hidden in a mesh of lines, whereas neurotypicals (non-autistic people) take quite long in finding them. Because of this we thought of working with isolated geometrical elements and this immediately reminded us of particle systems (see for example, Foley<sup>9</sup>). The notion of isolated particles with individual or group behaviors opened many possibilities. So how could we get the children to start playing with the particles?

## 10. Interaction Models

We designed up to eleven interactive games with particles, from which we chose four to be fully developed as preliminary work in the process of obtaining the final visual interaction for MEDIATE. These interactive games we called *interaction models* because they not only set the rules of a game, but also define a philosophy behind the game that states what we are looking for in the child's play. Figures 1, 2, 3, 4 show the four developed preliminary interaction models<sup>10</sup>.



FIG. 3. Particles fly as dry “Leaves” thrust by virtual air currents generated by user.




FIG. 4. “Ta-to-mo”: User generates waves of color on virtual tiles by touching screen.




FIG. 5. The user controls the “Kite” to make its tail longer by picking up scattered particles.




FIG. 6. User leaves “traces” of its small movements by freezing particles in a cloud.

### 10.1. The Final Interaction Model: Mo-ta-to (Move – stain me – touch me)

Some of the preliminary interaction models were found to be inadequate for children with autism thanks to the information given by the high functioning children that helped in the design and to

the psychologists' comments. For example, "Leaves" was not considered contingent enough and Kite was considered as demanding too much motor control of the user as many low functioning children have motor difficulties. Hence, the final interaction model we defined for MEDiate takes some of the aspects that seemed most successful from some of the preliminary models and picks up some of the suggestions made both by informers and psychologists. This final interaction model is based, as Ta-to-mo (Figure 7), on a screen tiled with square particles. Initially though, the screens are empty, only colored with an initial color that sets the interaction gamut. When the child enters the environment, the system detects her presence and presents a grid of small tiled particles. This is already a very effective small and basic game that many children have successfully discovered and enjoyed.




FIG. 7. "Mo-ta-to" final interaction model. User playing with silhouette and waves.

The particles grow as the user comes closer to the screen and shrink as the user moves away. There is a gradient in size and shade of color of the particles from the user's position to the edges of the screens, creating a constant sense of shelter wherever the child moves to. When the child is in front of the screen, the particles that fall within the area of what would be her projected silhouette grow and join to create a blocky silhouette that gives a sense of gelatinous material. This gives interaction a very fluid feeling. Finally, if the child comes very close to the screen and/or touches it, a wave of color is generated starting from the touched point outwards.

## **11. Results**

MEDIATE is a dismountable and transportable environment and sessions with PAS children have been held in London, Hilversum, Barcelona and Portsmouth. A total of over 90 children have had individual sessions in MEDIATE and, except for two children, none of them were reluctant to enter. Needless to say that the children are not in any way forced to enter. In fact, the psychologists ask the parents (who are present during interaction just outside the action space) not to push (neither physically nor verbally) their children to enter the environment. This is already a huge success for the environment; because children that need very rigid daily routines and that do not cope well with unknown places, have actually become curious enough to enter by their own will and start playing. The time spent in the environment varied from 5 to 35 minutes. In every case, it was clear that the children found at least one of the proposed interactions and successfully played with it. None of the children experienced discomfort in the environment and only one of the sessions had to be stopped because of the child's overexcitement. Parent's feedback (from a meeting with an independent evaluator) proved that they all felt it was an extremely beneficial experience and that they would very much be able to periodically take their children to an environment like MEDIATE. Also many parents felt their children had a much more relaxed and able attitude for the rest of the day after having passed through MEDIATE.

## **References**

1. Strickland, D. "A Virtual Reality Application with Autistic Children", In *PRESENCE: Teleoperators and Virtual Environments*, Cambridge, MA: MIT Press, 1996. Vol 5.3. Pag. 319-329.
2. Strickland, D. "Virtual Reality for the Treatment of Autism", In *Virtual Reality in Neuro-Psycho-Physiology*, Giuseppe Riva (Ed.). Amsterdam, Netherlands: Ios Press, 1998.

3. Dautenhahn, K. "Design issues on interactive environments for children with autism", In *Proc. 3rd Intl Conf. Disability, Virtual Reality & Assoc. Tech.*, Alghero, Italy, 2000. Pag. 153-159.
4. Workshop on Robotic and Virtual Interactive Systems in Autism Therapy, A two-day workshop at University of Hertfordshire, Hatfield, UK. 27-28 September 2001.  
<http://homepages.feis.herts.ac.uk/~comqkd/AutismWorkshop.htm>
5. Robotic and Virtual Interactive Systems in Therapy of autism and other psychopathological disorders. A two-day international workshop at Hospital La Salpêtrière, Paris. 27-28 September 2002.
6. NAS, National Autistic Society UK, URL: <http://www.nas.org.uk/>, last accessed 27/02/05, 2005.
7. Parés, N.; Parés, R. "Interaction-driven virtual reality application design. A particular case: 'El Ball del Fanalet or Lightpools'", In *PRESENCE: Teleoperators and Virtual Environments*, Cambridge, MA: MIT Press, 2001. Vol 10.2. Pag. 236-245.
8. Happé, F. *Autism, an introduction to psychological theory*, Psychology Press Ltd, Taylor & Francis Group, 1999.
9. Foley, J. et al. *Computer Graphics Principles and Practice*, 2nd. ed., Reading, MA: Addison-Wesley, 1990.
10. Parés, N., Carreras, A., Durany, J., Ferrer, J., Freixa, P., Gomez, D., Kruglanski, O., Parés, R., Ribas, J.I., Soler, M., Sanjurjo, A. "Promotion of creative activity in children with severe autism through visuals", In *Proceedings of the 4th International Conference on Interaction Design and Children, IDC2005*. ACM SIGCHI, June 8-10, Boulder, CO., 2005.