Interactive Discovery System for Direct Democracy

Pablo Aragón^{*†} Yago Bermejo[‡] Vicenç Gómez^{*} Andreas Kaltenbrunner^{*§}

^{*} Universitat Pompeu Fabra
Barcelona, Spain

[†] Eurecat
Barcelona, Spain

[‡] Medialab Prado
Madrid, Spain

[§] NTENT
Barcelona, Spain

{pablo.aragon,vicenc.gomez}@upf.edu yago@medialab-prado.es kaltenbrunner@gmail.com

Abstract—Decide Madrid is the civic technology of Madrid City Council which allows users to create and support online petitions. Despite the initial success, the platform is encountering problems with the growth of petition signing because petitions are far from the minimum number of supporting votes they must gather. Previous analyses have suggested that this problem is produced by the interface: a paginated list of petitions which applies a non-optimal ranking algorithm. For this reason, we present an interactive system for the discovery of topics and petitions. This approach leads us to reflect on the usefulness of data visualization techniques to address relevant societal challenges.

Index Terms—online petitions, text clustering, data visualization, platform design, collective action, e-democracy, decide madrid, technopolitics, civic technology

I. INTRODUCTION

Madrid City Council launched in 2015 *Decide Madrid*, a civic technology to foster open democracy and citizen participation through, among other features, online petitions¹. The functioning of this platform is as follows: First, a user publishes an online petition that proposes a public policy to be implemented in Madrid. Then, other users can comment the petition to favour deliberative practices of decision making, and users verified as citizens of Madrid can also support the petition. After one year, if the petition obtains more than 27,064 supporting votes (1% of the population of Madrid over 16 years old), a voting process, advertised in the main page, is held. If most users vote in favour and the petition fulfills certain technical and ethical requirements, the proposal is implemented as a public policy by the City Council. In contrast, online petitions which do not reach the support threshold in one year are withdrawn from the platform.

In the first year of *Decide Madrid*, two petitions reached the support threshold: one to unify public transport tickets² and the other to implement specific environmental sustainability policies³. Despite the success of both petitions, two aspects require special attention. First, both petitions were published on the day *Decide Madrid* was launched. Second, no petition published in subsequent months has reached even half the

threshold. According to previous analyses [3], this might be explained by how petitions are presented in the platform. Originally, they were listed using pagination and a sorting criteria based on the number of supporting votes. As one could expect, this strategy embodied the so-called ‘Matthew effect’ [8]: the first petitions rapidly became popular and covered the first page of the ranking, which made new petitions nearly invisible. To overcome this effect, the City Council replaced the ranking algorithm with the *Hot score* method of Reddit⁴. However, this method was devised to rank news items whose interest usually declines rapidly, while online petitions require longer visibility to engage thousands of citizens and hence reach the threshold. Therefore, the results of this second strategy are still unsatisfactory and illustrate the socio-technical problem of ranking and filtering of information in social systems [10].

Another problem of interest is the generalist approach of the interface, i.e., petitions are shown regardless of the user preferences. Although some other ranking methods with personalized recommendation have been proposed [4], every approach has always relied on the assumption that petitions must be presented as a list and, therefore, requires a ranking algorithm. The system presented here is motivated by the use of alternative graphical interfaces to experiment with other strategies of human-computer interaction in *Decide Madrid*. In particular, our system applies different techniques of data analysis and visualization to facilitate the discovery of topics and petitions⁵.

II. RELATED WORK

The increasing abundance of data on urban activity has motivated the development of interactive data visualization systems (i.e., dashboards) in cities such as Madrid⁶, Barcelona⁷, Amsterdam⁸, Dublin⁹, or Boston¹⁰. While dashboards of this type have typically relied on data from city sensors (e.g. traffic, noise, air pollution), open data portals, or social media platforms (e.g., Twitter, Facebook, Instagram), little effort has been devoted to deploy interactive discovery systems with data

Accepted at the 2018 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM 18). For academic purposes, please cite the conference version.

¹<https://decide.madrid.es/proposals>

²<https://decide.madrid.es/proposals/9-billete-unico-para-el-transporte-publico>

³<https://decide.madrid.es/proposals/199-madrid-100-sostenible>

⁴https://github.com/consul/consul/blob/master/lib/score_calculator.rb

⁵Code available at: <https://github.com/elaragon/decide-topics>

⁶<http://ceiboard.dit.upm.es/dashboard>

⁷<http://bcnnow.decodeproject.eu>

⁸<http://citydashboard.waag.org>

⁹<http://www.dublinkdashboard.ie>

¹⁰<https://boston.opendatasoft.com>

(a) Current front page of petitions in *Decide Madrid*.

(b) Interface of topics in our interactive discovery system.

8 (c) Interface of petitions in our interactive discovery system.

(d) Page of a petition in *Decide Madrid*.

Figure 1: Web interfaces of *Decide Madrid* and the two modules of our interactive discovery system, using the query term “basuras”, trash in Spanish. (a) Current front page of petitions in *Decide Madrid* using a list of items sorted by the Hot Score, the default criteria. (b) Interface of the module of topics which groups online petitions into topics and shows them within a mosaic plot. (c) Interface of the second module which is loaded when a user clicks on a topic. The interface shows the corresponding petitions as circles sized by the number of supporting votes. (d) Page of a popular petition proposing the implementation of the German recycling system.

from civic participation platforms. One of the few cases is *Civic CrowdAnalytics*, a tool which applies natural language processing with data from a crowdsourced urban planning process in Palo Alto [1]. The tool served to reveal that the impact of citizens’ voices was related to the volume and the tone of their messages, i.e., demands with more messages and more emotive tone led to greater changes in public policies. Another example of interest is *Pol.is* [12], a commenting and survey system. This tool applies principal component analysis to get major variances in opinions for different voters. These variances are then clustered using the k-means method, together with the silhouette score, to identify opinion groups. Although that platform was originally developed for news forums, it rapidly emph into a civic technology when adopted by the *vTaiwan* community to detect controversial issues about Uber/Airbnb Taiwanese regulations [7].

For the specific case of *Decide Madrid*, previous work focused on interactive radial trees for the discussion threads of petitions [2]. Even though that work helped to provide a clear picture of the discussions, it assumed that users were able to find petitions of interest. Therefore, to overcome the socio-technical problems specified in the introduction, we describe below our novel interactive discovery system.

III. SYSTEM DESIGN

The interactive system is a pipeline of two modules which allow users to discover and explore two types of item: topics and petitions. To illustrate how the systems works, we will use an example based on petitions related to trash, a controversial issue in Madrid which has motivated many petitions on *Decide Madrid* proposing different solutions to the existing problems.

A. Interactive discovery of topics

Figure 1a shows the current web interface of *Decide Madrid* which displays a list of petitions about any topic using the *Hot score* method as sorting criteria by default. Although it allows users to retrieve petitions matching the term “basuras” (trash), they would have then to scroll through a dozen of pages to find proposals of interest among the 273 existing petitions. In contrast, the alternative web interface, shown in Figure 1b, starts with a query form to force users to explicitly set their interest. Once a user has filled the form, the module of topics retrieves the matching petitions from the API¹¹ to then groups them into topics with the text clustering method Carrot² [9]. This is a state of art method for web search results clustering which is based on the the *Suffix Tree Clustering* algorithm (STC) [11]. The idea behind this approach is that topics usually correspond to identical sequences of terms (phrases) and, therefore, groups of documents can be identified by such sequences. The algorithm follows two steps: 1) it first discovers groups of petitions with identical phrases, and 2) then merges these groups into larger clusters. Thus, the phrase which characterizes each final cluster is used by STC as a label to easily identify topics of petitions. Petitions can occur in multiple clusters and those without any assigned cluster can be found at “Other topics”.

Resulting topics are presented in a mosaic plot with distinctive color for each topic and size according to the sum of supporting votes to the petitions of the corresponding cluster. Metadata of each topic (label and number of petitions and sum of supporting votes) are displayed in a tooltip on mouse over. Figure 1b shows the topic visualization of the term “basuras” for which the discovery system automatically identifies 44 related topics, e.g., “garbage bins”, “garbage tax”, “cleaning services”. The full list is presented in Table I. When the user clicks on a topic (either at the diagram or at the legend) the second module is loaded using the selected topic as input.

B. Interactive discovery of petitions

The web interface of the module of petitions is presented in Figure 1c. To distinguish that items are now petitions of a selected topic, these are shown as circles. The radius of the circle is based on the number of supporting votes to easily identify which are the most popular petitions. However, to avoid a ranking of petitions using lists as done in *Decide Madrid* so far, circles are displayed randomly without overlap by applying a force-directed graph layout [5]. Metadata of each petition (title and number supporting votes) are also shown in a tooltip on mouse over. The illustrative example in Figure 1c corresponds to the petitions from the “garbage tax” topic. The cursor is over a popular petition which proposes the implementation of the German recycling system (*Mehrwegpfand*)¹². When the user clicks on the circle, the petition web page is loaded in a new window (see Figure 1d) to allow the user to review its proposals and to support it.

¹¹<https://decide.madrid.es/graphiql>

¹²<https://decide.madrid.es/proposals/1824-implantar-sistema-de-reciclaje-aleman>

IV. DISCUSSION

In this paper we have presented an interactive system to visually browse and discover topics and petitions of *Decide Madrid*. For the case study of petitions about trash, users would have had to explore the rankings of petitions page by page in the official web interface. Our system is a way to solve this task in a more dynamic manner. Because these paginated rankings of petitions have been identified as a barrier for petition signing, simple but effective data visualization can serve to prevent civic technologies from undesired effects of this kind. In recent years, many similar platforms have been developed to facilitate public participation and, ultimately, collective action [6]. Nevertheless, research has provided evidence that social systems are very sensitive to how information is ranked and filtered [10]. Given the increasing popularity of civic technologies, our system is an illustrative example of how these platforms might benefit from presenting information in a concise and well-interpretable way.

V. ACKNOWLEDGMENTS

This work is supported by Medialab Prado and the Spanish Ministry of Economy and Competitiveness under the María de Maeztu Units of Excellence Programme (MDM-2015-0502). We would like to thank the team at Participa LAB for their valuable feedback which served to improve this system.

REFERENCES

- [1] AITAMURTO, T., CHEN, K., CHERIF, A., GALLI, J. S., AND SANTANA, L. Civic CrowdAnalytics: Making Sense of Crowdsourced Civic Input with Big Data Tools. In *Proceedings of the 20th International Academic Mindtrek Conference* (New York, NY, USA, 2016), AcademicMindtrek '16, ACM, pp. 86–94.
- [2] ARAGÓN, P., GÓMEZ, V., AND KALTENBRUNNER, A. Visualization Tool for Collective Awareness in a Platform of Citizen Proposals. In *ICWSM-16 - 10th International AAAI Conference on Web and Social Media* (2016), The AAAI Press.
- [3] BETADEMIC. Informe final grupo de trabajo BetaDemIC. <https://rxnwalker.gitbooks.io/betadoc/content/>, 2015.
- [4] CANTADOR, I., BELLOGÍN, A., CORTÉS-CEDIEL, M. E., AND GIL, O. Personalized recommendations in e-participation: Offline experiments for the Decide Madrid platform.
- [5] JAKOBSEN, T. Advanced character physics. In *Game developers conference* (2001), vol. 3.
- [6] MARGETTS, H., JOHN, P., HALE, S., AND YASSERI, T. *Political turbulence: How social media shape collective action*. Princeton University Press, 2015.
- [7] MEGILL, COLIN. pol.is in Taiwan. <https://blog.pol.is/pol-is-in-taiwan-da7570d372b5>, 2016.
- [8] MERTON, R. K. The Matthew Effect in Science. *Science* 159, 3810 (1968), 56–63.
- [9] OSIŃSKI, S., AND WEISS, D. Carrot2: Design of a flexible and efficient web information retrieval framework. In *International Atlantic Web Intelligence Conference* (2005), Springer, pp. 439–444.
- [10] SCHOLTES, I., PFITZNER, R., AND SCHWEITZER, F. The social dimension of information ranking: A discussion of research challenges and approaches. In *Socioinformatics - The Social Impact of Interactions between Humans and IT* (Cham, 2014), K. Zweig, W. Neuser, V. Pipek, M. Rohde, and I. Scholtes, Eds., Springer, pp. 45–61.
- [11] STEFANOWSKI, J., AND WEISS, D. Carrot2 and Language Properties in Web Search Results Clusterin. In *Proceedings of the 1st International Atlantic Web Intelligence Conference on Advances in Web Intelligence* (Berlin, Heidelberg, 2003), AWIC'03, Springer-Verlag, pp. 240–249.
- [12] YEN, T.-C. Understanding Online Survey Data as a Bipartite Network: A Case Study on pol.is. In *XXXVII Sunbelt Conference of the International Network for Social Network Analysis (insna)* (2017).

Table I: Full list of discovered topics for the petitions retrieved from *Decide Madrid* with the query term “basuras” (trash in Spanish). For each topic, the table includes an English traslation, the number of petitions, and the sum of supporting votes to the corresponding petitions. “Other topics” contains the petitions which were not assigned to any cluster by the *Suffix Tree Clustering* algorithm.

Topic	English translation	Number of petitions	Sum of supporting votes to petitions
Noche	Night	32	4,519
Calles y Aceras	Streets and sidewalks	31	4,256
Caso	Case	30	4,701
Cubos de Basura	Garbage Bins	30	2,676
Impuesto de Basuras	Garbage Tax	30	8,219
Servicios de Limpieza	Cleaning Services	28	3,869
Horarios de Recogida	Pickup Schedules	26	2,400
También Hay	There are also	25	3,923
Limpieza de la Ciudad	Cleaning the City	23	5,155
Tipos de Contenedores	Types of Containers	23	2,837
Camiones de Basura	Garbage Trucks	22	1,433
Suciedad	Dirt	22	5,236
Comunidades de Vecinos	Neighborhood Communities	21	2,630
Papeleras	Litter bins	21	4,665
Centro de Madrid	Centre of Madrid	20	2,798
Contenedores de Reciclaje	Recycling Containers	19	3,234
Mucha Gente	Many People	19	4,383
Mucho Menos	Much Less	15	2,038
Zonas Verdes	Green Zones	14	2,005
Excrementos de Perros	Dog Droppings	11	1,637
Malos Olores	Bad Smells	10	1,179
Medio Ambiente	Environment	10	1,599
Barrio Limpio	Clean Neighborhood	9	760
Transporte Público	Public Transportation	9	1220
Vía Pública	Public Roads	9	918
Plazas de Aparcamiento	Parking Spaces	8	368
Calidad de Vida	Quality of Life	7	1,492
Descampados	Open fields	7	605
Solares Abandonados	Abandoned Plots	7	1,735
Cantidad de Dinero	Amount of Money	6	3,548
Parques Infantiles	Children’s playgrounds	6	362
Residuos Orgánicos	Organic Waste	6	307
Vehículos sin Motor	Non-Motor Vehicles	6	325
Nuestros Hijos	Our Children	5	209
Cualquier Sitio	Any Site	4	552
Problemas de Movilidad	Mobility Problems	4	658
Teniendo en Cuenta	Taking into account	4	186
Debería Hacerse	It Should Be Done	3	573
Distrito más Poblado	Most Populous District	3	340
Control de Plagas	Pest Control	2	291
Necesidad de Buscar	Need to Search	2	81
Pasar por Caja el Producto	Checkout the Product	2	2,256
Redes Sociales	Social Networks	2	250
Vivienda y te Combiertas en un Proscrito	Housing and Commute into an Outlaw	2	3,183
Other Topics	Other Topics	60	9,388